



### NEDERLAND (THE NETHERLANDS)



#### EEC TYPE-APPROVAL CERTIFICATE

#### Communication concerning:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval


of a type of a component (towbar) with regard to Directive (94/20/EEC)

#### Type-approval number: e4\*94/20\*0261\*01

Reason for extension: Technical modifications to the coupling device and also correction of a clerical error in the original certificate.

#### **SECTION I**

0.1.	Make (trade name of manufacturer)	:	Bosal
0.2.	Type and general commercial description(s)	:	025221
0.3.	Means of identification of type marked on the component	:	Type approval number
0.3.1.	Location of that marking	:	On type plate
0.5.	Name and address of manufacturer	*	Bosal Postbus 168 4920 AD Made Nederland
0.7.	In the case of components and separate technical units, location and method of affixing of the EEC type approval mark	:	On type plate



See information document

0.8.

Address(es) of assembly plant(s)

# Type-approval number: e4\*94/20\*0261\*01

#### **SECTION II**

1. Additional information (where applicable) : See Appendix I

2. Technical service responsible for carrying out

the tests

RDW

Testbaan|Centrum

Talingweg 76

8218 NX Lelystad

3. Date of test report

28-2-1996 19-9-2005

4. Number of test report

TCL-94/20-021/96

RDW-94/20-4623

5. Remarks (if any)

See Appendix I

6. Place

Zoetermeer

7. Date

19-9-2005

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
  - Application form relating to annex III and annexed drawings
  - Drawings and instructions for attachment
  - Fitting instructions
  - Test report as mentioned in item 4.

## Appendix I

: A50-X

# to EEC type-approval certificate No: e4\*94/20\*0261\*01 concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1.	Additional information

Class of the type of coupling

1.1.

1.2.	Categories or types of vehicles for which	;	See fitting instructions
	the device is designed or restricted		

1.3.	Maximum D-value	:	12,96	kN
1.4.	Maximum vertical load S at the coupling point	:	100	kg
1.5	Maximum load U at the fifth wheel	:		ton

1.5	Maximum load & at the men wheel		
	coupling point		
1.6.	Maximum V-value	:	 kN

1.7.	Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is	:	See fitting instructions
	restricted to special types of vehicles		

1.8	Information on the fitting of special towing	:	See fitting instructions
	brackets or mounting plates		

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.

