

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 06.03.2023, Revision 06.03.2023

Version 12.0. Supersedes version: 11.0

Page 1 / 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Engine Oil 15W - 40**  
**Article number: 15 93 2925, 15 93 2926, 15 93 2927, 15 93 2928, 15 93 2929, 15 93 2930**  
**UFI: WS5X-Q2EH-A003-AFJ1**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Engine oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)  
**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Sens. 1: H317 May cause an allergic skin reaction.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

#### Hazard pictograms



#### Signal word

WARNING

#### Contains:

Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated

#### Hazard statements

H317 May cause an allergic skin reaction.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves.  
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.  
P501 Dispose of contents/container to approved disposal company or municipal collection point.

### 2.3 Other hazards

#### Environmental hazards

Does not contain any PBT or vPvB substances.  
Contains no ingredients with endocrine-disrupting properties.

#### Other hazards

none

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 06.03.2023, Revision 06.03.2023

Version 12.0. Supersedes version: 11.0

Page 2 / 11

### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - < 2.5	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS: 68784-31-6, EINECS/ELINCS: 272-238-5, Reg-No.: 01-2119657973-23-XXXX GHS/CLP: Eye Dam. 1: H318 - Aquatic Chronic 2: H411
1 - < 2.5	Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated CAS: -, EINECS/ELINCS: 953-650-0 GHS/CLP: Skin Sens. 1B: H317 - Repr. 2: H361d SCL [%]: 17.15 - 100: Repr. 2: H361

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Take off contaminated clothing and wash before reuse.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

In case of contact with skin wash off immediately with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Consult a doctor immediately.  
Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to your doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

##### Extinguishing media that must not be used

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Sulphur oxides (SO<sub>x</sub>).  
Nitrogen oxides (NO<sub>x</sub>).

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
Do not smoke.  
Fire class (DIN EN 2): B  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not relevant

#### DNEL

Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
Industrial, dermal, Acute - systemic effects, 100 mg/kg bw/d
Industrial, dermal, Long-term - systemic effects, 10.42 mg/kg bw/d
Industrial, inhalative, Acute - systemic effects, 496.4 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - systemic effects, 2.93 mg/m <sup>3</sup>
general population, oral, Acute - systemic effects, 29 mg/kg bw/d
general population, oral, Long-term - systemic effects, 0.21 mg/kg bw/d
general population, dermal, Acute - systemic effects, 50 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2.1 mg/kg bw/d
general population, inhalative, Acute - systemic effects, 198.6 mg/m <sup>3</sup>
general population, inhalative, Acute - systemic effects, 11.75 mg/m <sup>3</sup>
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated, CAS: -
There are no DNEL values established for the substance.

#### PNEC

Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
oral (food), 8.33 mg/kg
soil, 0.0548 mg/kg
sewage treatment plants (STP), 3.8 mg/l
sediment (freshwater), 0.0701 mg/l
sediment (seawater), 0.00701 mg/l
freshwater, 0.0040 mg/l
seawater, 0.0046 mg/l
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated, CAS: -
There are no PNEC values established for the substance.

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	If there is a risk of splashing: safety glasses
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	none
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Form</b>	liquid
<b>Color</b>	brown
<b>Odor</b>	characteristic
<b>Odour threshold</b>	not relevant
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	> 235 (ISO 2592)
<b>Flammability (solid, gas) [°C]</b>	No information available.
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	< 0.01 (20°C)
<b>Density [g/cm<sup>3</sup>]</b>	0.878 (DIN 51757) (15 °C / 59,0 °F)
<b>Relative density</b>	not determined
<b>Bulk density [kg/m<sup>3</sup>]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Solubility other solvents</b>	No information available.
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Kinematic viscosity</b>	> 20.5 mm <sup>2</sup> /s (40° C) ca. 14.6 mm <sup>2</sup> /s (100°C) (DIN 51562/T1)
<b>Relative vapour density</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Auto-ignition temperature [°C]</b>	No information available.
<b>Decomposition temperature [°C]</b>	No information available.
<b>Particle characteristics</b>	No information available.

## 9.2 Other information

Pour point: - 30°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

Strong heating, because the thermal decomposition starts from > 65°C.

### 10.5 Incompatible materials

Oxidizing agent  
Acids

### 10.6 Hazardous decomposition products

In the case of heating following (decomposition) products may occur:  
> 65°C / Hydrogen sulfide (H<sub>2</sub>S).

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
LD50, oral, Rat, 2900 - 3400 mg/kg bw

#### Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
LD50, dermal, Rabbit, 5000 mg/kg bw

#### Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.

#### Serious eye damage/irritation

Non-irritant.  
 On basis of test data

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

#### Respiratory or skin sensitisation

Toxicological data of complete product are not available.  
 May cause an allergic skin reaction.  
 Calculation method

#### Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

#### Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
NOAEL, oral, Rat, 125 mg/kg bw/day

#### Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

#### Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

#### Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

#### Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

#### General remarks

Toxicological data of complete product are not available.  
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### Other information

none

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, CAS: 68784-31-6
LC50, (4d), fish, 46 mg/L
IC50, (21d), Invertebrates, 530 - 800 µg/L
EL50, (72h), Algae, 240 - 410 mg/L
EL50, (48h), Invertebrates, 75 mg/L
NOEC, (21d), Invertebrates, 400 - 800 µg/L
NOELR, (48h), Invertebrates, 32 mg/L
NOELR, (4d), fish, 3.2 mg/L
LL50, (4d), fish, 4.4 mg/L
LOEC, (21d), Invertebrates, 800 µg/L

### 12.2 Persistence and degradability

#### Behaviour in environment compartments

#### Behaviour in sewage plant

Can be separated out mechanically in purification plants.

#### Biological degradability

Biodegradable in part only

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available.  
Do not discharge product unmonitored into the environment.



## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

In according to RoHS!  
Coordinate disposal with the disposal contractor/authorities if necessary.  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150110\* packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 06.03.2023, Revision 06.03.2023

Version 12.0. Supersedes version: 11.0 Page 10 / 11

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.  
H318 Causes serious eye damage.  
H361d Suspected of damaging the unborn child.  
H317 May cause an allergic skin reaction.

SWAG Autoteile GmbH

42117 Wuppertal

Date printed 06.03.2023, Revision 06.03.2023

Version 12.0. Supersedes version: 11.0

Page 11 / 11

**16.2 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 EL50 = Median effective loading  
 ELINCS = European List of Notified Chemical Substances  
 EmS = Emergency Schedules  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 IVIS = In vitro irritation score  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 LL50 = Median lethal loading  
 LQ = Limited Quantities  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.3 Other information****Classification procedure**

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

**Modified position**

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.