42117 Wuppertal

Date printed 14.02.2023, Revision 14.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SWAG®

Version 12.0. Supersedes version: 11.0 Page 1 / 11

| 1.1 | Product identifier | |
|-------------------|---|--|
| | | automatic transmission fluid (ATF) Article number: 30 91 4738, 30 92 9738 |
| 1.2 | Relevant identified uses of the se | ubstance or mixture and uses advised against |
| 1.2.1 | Relevant uses | |
| | | Lubricant |
| 1.2.2 | 2 Uses advised against | |
| | | None known. |
| 1.3 | Details of the supplier of the safe | ety data sheet |
| | Company | SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de |
| | Address enquiries to | |
| | Technical information | info@swag.de |
| | Safety Data Sheet | info@swag.de |
| 1.4 | Emergency telephone number | |
| | Advisory body | +49 (0)89-19240 (24h) (English) |
| SEC | Advisory body TION 2: Hazards identification | +49 (0)89-19240 (24h) (English) |
| SEC 2.1 | TION 2: Hazards identification | +49 (0)89-19240 (24h) (English) r mixture [REGULATION (GB) CLP] No classification. |
| 2.1 | TION 2: Hazards identification Classification of the substance of | or mixture [REGULATION (GB) CLP] |
| | TION 2: Hazards identification | or mixture [REGULATION (GB) CLP] No classification. |
| 2.1 | TION 2: Hazards identification Classification of the substance of Label elements | or mixture [REGULATION (GB) CLP] |
| 2.1 | TION 2: Hazards identification Classification of the substance of | or mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. |
| 2.1 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms | br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none |
| 2.1 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Hazard statements | br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none |
| 2.1 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Hazard statements Precautionary statements | br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none |
| 2.1 2.2 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Hazard statements Precautionary statements Special labelling | br mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none |
| 2.1 2.2 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Hazard statements Precautionary statements Special labelling Other hazards | mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none EUH210 Safety data sheet available on request. Does not contain any PBT or vPvB substances. |
| 2.1 2.2 2.3 | TION 2: Hazards identification Classification of the substance of Label elements Hazard pictograms Hazard statements Precautionary statements Special labelling Other hazards Environmental hazards | An mixture [REGULATION (GB) CLP] No classification. The product is required to be labelled in accordance with regulation CLP. none none none EUH210 Safety data sheet available on request. Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties. No particular hazards known. |

3.1 Substances

not applicable

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 2 / 11

3.2 Mixtures

| 3.2 Mixtures | | | | |
|--------------|--------------------------------------|----------------------|---|--|
| | The product is a mixture. | | | |
| | Range [%] | Substance | | |
| | 1 - 10 | Destillates (petrole | um), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) | |
| | CAS: 64742-54-7, GHS/CLP: Asp. To | | EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX | |
| | | | эх. 1: H304 | |
| | Comment on com | nponent parts | Contains less than 3% w/w DMSO-extract (only for mineral oils) Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements and R-phrases: see SECTION 16. | |
| SEC | TION 4: First aid | measures | | |
| 4.1 | Description of f | irst aid measures | 3 | |
| | General informati | on | Change soaked clothing. | |
| | Inhalation | | Ensure supply of fresh air. In the event of symptoms seek medical treatment. | |
| | Skin contact | | In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists. | |
| | Eye contact | | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| | Ingestion | | Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice. | |
| 4.2 | Most important | symptoms and e | ffects, both acute and delayed | |
| | | | No information available. | |
| 4.3 | Indication of an | y immediate med | lical attention and special treatment needed | |
| | | - | If swallowed or in the event of vomiting, risk of product entering the lungs. Treat symptomatically. Forward this sheet to your doctor. | |
| SEC | TION 5: Fire-figh | ting measures | | |
| | - | - | | |
| 5.1 | Extinguishing n | nedia | | |
| | Suitable extinguis | shing media | Foam, dry powder, water spray jet, carbon dioxide | |
| | Extinguishing me be used | dia that must not | Full water jet | |
| 5.2 | Special hazards | arising from the | e substance or mixture | |
| | | | Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). | |
| 5.3 | Advice for firefi | ghters | | |
| | | | Use self-contained breathing apparatus. Do not inhale explosion and/or combustion gases. | |
| | | | Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. | |
| | | | | |

42117 Wuppertal

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 3 / 11

| SEC | SECTION 6: Accidental release measures | | |
|-----|--|--|--|
| 6.1 | Personal precautions, protective | equipment and emergency procedures | |
| | | High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water. | |
| 6.2 | Environmental precautions | | |
| | | Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. | |
| 6.3 | Methods and material for contain | nment and cleaning up | |
| | | Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations. | |
| 6.4 | Reference to other sections | | |
| | | See SECTION 8+13 | |
| SEC | TION 7: Handling and storage | | |
| 7.1 | Precautions for safe handling | | |
| | | Avoid formation of aerosols. | |
| | | The product is combustible. | |
| | | Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. | |
| 7.2 | Conditions for safe storage, incl | uding any incompatibilities | |
| | | Keep only in original container. Prevent penetration into the ground. | |
| | | Do not store together with food and animal food/diet. Do not store together with oxidizing agents. | |
| | | Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating. | |
| 7.3 | Specific end use(s) | | |
| | | See product upo SECTION 1.2 | |

See product use, SECTION 1.2

42117 Wuppertal

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

| Substance |
|---|
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) |
| CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX |
| Long-term exposure: 5 mg/m ³ , oil mist |
| Short-term exposure (15-minute): 10 mg/m ³ |

DNEL

| Destillates (petroleum), hyd | rotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
|-------------------------------|--|
| Industrial, dermal, Long-ter | n - systemic effects, 970 μg/kg bw/day |
| Industrial, inhalative, Long- | erm - local effects, 5.58 mg/m ³ |
| Industrial, inhalative, Long- | erm - systemic effects, 2.73 mg/m ³ |
| general population, oral, Lo | ng-term - systemic effects, 740 μg/kg bw/day |
| general population, inhalativ | /e, Long-term - local effects, 1.19 mg/m ³ |

PNEC

| Substance |
|--|
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| oral (food), 9.33 mg/kg |

8.2 Exposure controls

| Additional advice on system design | Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. |
|---|--|
| Eye protection | If there is a risk of splashing: safety glasses (EN 166:2001) |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm; Neoprene, >480 min (EN 374-1/-2/-3). |
| Skin protection | light protective clothing |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. |
| Respiratory protection | Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387) |
| Thermal hazards | No information available. |
| Delimitation and monitoring of the environmental exposition | Comply with applicable environmental regulations limiting discharge to air, water and soil. |



Version 12.0. Supersedes version: 11.0 Page 5 / 11

Date printed 14.02.2023, Revision 14.02.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| internation on baole physical and | enennear prepertiee |
|---|---|
| Physical state | liquid |
| Form | liquid |
| Color | light yellow |
| Odor | characteristic |
| Odour threshold | not relevant |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point [°C] | No information available. |
| Flash point [°C] | 234 (EN ISO 2592) |
| Flammability (solid, gas) [°C] | No information available. |
| Lower explosion limit | No information available. |
| Upper explosion limit | No information available. |
| Oxidising properties | no |
| Vapour pressure/gas pressure [kPa] | No information available. |
| Density [g/cm³] | 0.85 (DIN 51 757) (15°)C |
| Relative density | not determined |
| Bulk density [kg/m³] | not applicable |
| Solubility in water | immiscible |
| Solubility other solvents | No information available. |
| Partition coefficient [n-octanol/water] | No information available. |
| Kinematic viscosity | 36 mm ² /s (40° C)(DIN 51 562) |
| Relative vapour density | No information available. |
| Evaporation speed | No information available. |
| Melting point [°C] | No information available. |
| Auto-ignition temperature [°C] | No information available. |
| Decomposition temperature [°C] | No information available. |
| Particle characteristics | No information available. |
| | |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 6 / 11

10.5 Incompatible materials

Strong oxidizing agent. Strong acids. Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.





Version 12.0. Supersedes version: 11.0 Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

 Substance

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Acute inhalational toxicity

| Product | |
|--|--|
| inhalative. Based on the available information, the classification criteria are not fulfilled. | |

| Substance |
|--|
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h |

| Serious eye damage/irritation | Toxicological data of complete product are not available. No classification. Calculation method |
|--|---|
| Skin corrosion/irritation | Toxicological data of complete product are not available. No classification. Calculation method |
| Respiratory or skin sensitisation | Toxicological data of complete product are not available. No classification. Calculation method |
| Specific target organ toxicity — single exposure | Based on the available information, the classification criteria are not fulfilled. |
| Specific target organ toxicity — repeated exposure | Based on the available information, the classification criteria are not fulfilled. |
| Substance | |
| Destillates (petroleu | um), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |

| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
|--|
| NOAEL, dermal, Rabbit, 1000 mg/kg bw/day |
| NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day |
| NOAEC, inhalative, Rat, 980 mg/m ³ air |
| LOAEL, oral, Rat, 125 mg/kg bw/day |

| Mutagenicity |
|--------------|
|--------------|

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance



Version 12.0. Supersedes version: 11.0 Page 8 / 11

Date printed 14.02.2023, Revision 14.02.2023

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

- Development

| | Substance | |
|-------------------|--|--|
| | Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 | |
| | NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed | |
| | | |
| Carcinogenicity | Based on the available information, the classification criteria are not fulfilled. | |
| Aspiration hazard | Based on the available information, the classification criteria are not fulfilled. | |
| General remarks | | |
| | Toxicological data of complete product are not available. | |

Contains no ingredients with endocrine-disrupting properties.

SECTION 12: Ecological information

Other information

Endocrine disrupting properties

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

none

| ubstance | |
|---|--------|
| estillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 6474 | 2-54-7 |
| L50, (48h), Invertebrates, 10 g/L | |
| OELR, (14d), fish, 1 mg/L | |
| _50, (96h), Invertebrates, 10 g/L | |
| _50, (96h), fish, 100 mg/L | |

12.2 Persistence and degradability

| Behaviour in environment compartments | not determined |
|--|---|
| Behaviour in sewage plant | not determined |
| Biological degradability | The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation. |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 9 / 11

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

| | In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. |
|-------------------------|--|
| Waste no. (recommended) | 130205* mineral-based non-chlorinated engine, gear and lubricating oils |
| Contaminated packaging | |
| | Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product. |
| Waste no. (recommended) | 150102 150104 150110* packaging containing residues of or contaminated by hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number

| Transport by land according to ADR/RID | not applicable |
|---|----------------|
| Inland navigation (ADN) | not applicable |

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

| Transport by land according to | NO DANGEROUS GOODS |
|--------------------------------|--------------------|
| ADR/RID | |

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

42117 Wuppertal

| Date | printed | 14.02.202 | 23. Revision | 14.02.2023 |
|------|---------|-----------|-----------------|------------|
| Duio | printed | 14.02.202 | _0, 1 (0 101011 | 14.02.2020 |



Version 12.0. Supersedes version: 11.0 Page 10 / 11

| 14.3 | Transport hazard class(es) | |
|------|---|-----------------------|
| | Transport by land according to ADR/RID | not applicable |
| | Inland navigation (ADN) | not applicable |
| | Marine transport in accordance with IMDG | not applicable |
| | Air transport in accordance with IATA | not applicable |
| 14.4 | Packing group | |
| | | not applicable |
| | Inland navigation (ADN) | not applicable |
| | Marine transport in accordance with IMDG | not applicable |
| | Air transport in accordance with IATA | not applicable |
| 14.5 | Environmental hazards | |
| | Transport by land according to ADR/RID | no |
| | Inland navigation (ADN) | no |
| | Marine transport in accordance with IMDG | no |
| | Air transport in accordance with IATA | no |
| 14.6 | Special precautions for user | |
| | Relevant information under SECTION 6 t | io 8. |
| 14.7 | Maritime transport in bulk accordi | ng to IMO instruments |
| | not applicable | |

not applicable SECTION 15: Regulatory information

15.1 Safety, health and environmental regulation specific for the substance or mixture EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014 TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023) NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP. - Observe employment restrictions for people not applicable - VOC (2010/75/CE) 0 %

42117 Wuppertal

Date printed 14.02.2023, Revision 14.02.2023



Version 12.0. Supersedes version: 11.0 Page 11 / 11

| 15.2 Chemical safety assessment | |
|------------------------------------|--|
| | not applicable |
| SECTION 16: Other information | |
| 16.1 Hazard statements (SECTION 3) | |
| | H304 May be fatal if swallowed and enters airways. |
| 16.2 Abbreviations and acronyms: | |
| | ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European Ist of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% |
| 16.3 Other information | LOG = Inductoring Contention, 078 LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative |
| Classification procedure | |
| Modified position | SECTION 11 been added. Contains no ingredients with endocrine-disrupting properties |

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.