

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:

VAICO SAE 0W-30 2312

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Lubricant

Uses advised against:	No uses advised against identified.
-----------------------	-------------------------------------

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	VIEROL AG Karlstraße 19 26123 Oldenburg
Telephone:	+49 441 210 20 - 0
Fax:	+49 441 210 20 - 111

Contact for request of safety data sheets

E-mail:	Automotive lubricants Industrial lubricants	info@vierol.com
Telephone:	+49 441 210 20 - 0	

Informing department for safety data sheets

E-mail:	info@vierol.com
1.4 Emergency telephone number:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary Physical Hazards: No data available.

2.2 Label Elements



	EUH208: Contains Mo-S-polymer, Alkyl phenol, long chain. May produce an allergic reaction.	
	EUH210: Safety data sheet available on request.	
2.3 Information on other haz- ards	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.	
Endocrine disrupting prop- erties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registra- tion No.	Notes
Base oil paraffinic	EINECS: 265-157-1	50,00% - <100,00%	01-2119484627-25	
Hydrocarbons, low viscous	EC: 500-183-1	10,00% - <20,00%	01-2119486452-34	
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%	01-2119488911-28	
Mo-S-polymer	EINECS: 457-320-2	0,10% - <1,00%	01-0000019337-66	
Alkyl phenol, long chain	EC: 931-468-2	0,10% - <1,00%	01-2119498288-19	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Class	ification
Base oil paraffinic	EINECS: 265-157-1	CLP:	Asp. Tox. 1;H304
Hydrocarbons, low viscous	EC: 500-183-1	CLP:	Asp. Tox. 1;H304
alkarylamine, longchained	EINECS: 253-249-4	CLP:	Aquatic Chronic 4;H413
Mo-S-polymer	EINECS: 457-320-2	CLP:	Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 3;H412
Alkyl phenol, long chain	EC: 931-468-2	CLP:	Skin Sens. 1B;H317, STOT RE 2;H373

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:

Remove contaminated, saturated clothing.

4.1 Description of first aid measures



Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly. Do not induce vomiting.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.	
SECTION 5: Firefighting measures	5	
5.1 Extinguishing media		
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add- ed	
Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters		
Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release mo	easures	
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal	



6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
ECTION 7: Handling and storage):	
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Provide adequate ventilation. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices.	
7.2 Conditions for safe storage, including any incompatibili- ties:		
7.3 Specific end use(s):	No data available.	
Storage Class:	10, Combustible liquids	
ECTION 8: Exposure controls/pe	ersonal protection	
	None of the components have assigned exposure limits.	
8.2 Exposure controls		
8.2 Exposure controls Appropriate engineering controls:	None of the components have assigned exposure limits. Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist.	
Appropriate engineering controls:	Provide adequate ventilation and minimize the risk of inhalation of vapors	
Appropriate engineering controls:	Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. es, such as personal protective equipment Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord	
Appropriate engineering controls: Individual protection measure	Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. es, such as personal protective equipment Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord ing to the CEN standards and in discussion with the supplier of the person protective equipment. The usual precautionary measures should be ad-	
Appropriate engineering controls: Individual protection measure General information:	Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. es, such as personal protective equipment Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the person protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.	
Appropriate engineering controls: Individual protection measure General information: Eye/face protection: Skin protection	Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. es, such as personal protective equipment Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the person protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products. Avoid contact with skin and eyes. Goggles/face shield are recommended. Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min	



Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Brown
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	238 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,84 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	50,8 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:

10.2 Chemical Stability:

Stable under normal use conditions.

nical Stability: Stable

Stable under normal use conditions.



10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil paraffinic	LD 50 (Rat): > 5.000 mg/kg
Hydrocarbons, low vis- cous	LD 50 (Rat): > 5.000 mg/kg
alkarylamine, long- chained	LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Base oil paraffinic	LD 50 (Rabbit): > 5.000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s) Hydrocarbons, low vis- cous	LC 50 (Rat, 4 h): > 5 mg/l Dust and mist
Skin Corrosion/Irritation: Product: Specified substance(s)	Based on available data, the classification criteria are not met.
Base oil paraffinic	OECD 404 Not irritant.
alkarylamine, long- chained	OECD 404 (Rabbit): Not irritant.



1 10000 1000 1000 1000 1000	
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Specified substance(s) Base oil paraffinic	OECD 405 Not irritant.
alkarylamine, long- chained	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiz	ation:
Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s)	
alkarylamine, long-	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Specified substance(s) Base oil paraffinic	May be fatal if swallowed and enters airways.
11.2 Information on other haz- ards	
Endocrine disrupting propert	ies
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation

(EU) 2018/605 at levels of 0.1% or higher.



SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Base oil paraffinic	LC 50 (Fish, 96 h): > 100 mg/l
Hydrocarbons, low vis- cous	LC 50 (Fish, 96 h): > 750 mg/l
alkarylamine, long- chained	LC 50 (Zebra Fish, 96 h): > 100 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Base oil paraffinic	EC 50 (Water Flea, 48 h): > 100 mg/l
· Hydrocarbons, low vis- cous	EC 50 (Water Flea, 48 h): 190 mg/l
alkarylamine, long- chained	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)
Mo-S-polymer	EL50 (Water Flea): 50 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) Base oil paraffinic	NOEC (Daphnia magna, 21 d): 10 mg/l (OECD 211)
Mo-S-polymer	NOEC (Water Flea, 21 d): 100 mg/l
Toxicity to Aquatic Plants Specified substance(s) Base oil paraffinic	EC 50 (Algae, 72 h): > 100 mg/l (OECD 201)
Hydrocarbons, low vis- cous	EC 50 (Alga, 72 h): > 1.000 mg/l
alkarylamine, long- chained	EC 50 (Alga, 72 h): > 100 mg/l (OECD 201)
Mo-S-polymer	EbC50 (Alga, 72 h): 9,62 mg/l (OECD 201)
Persistence and Degradabili	ty

12.2 Persistence and Degradability

Biodegradation Product:

Not applicable for mixtures



Specified substance(s) alkarylamine, long- chained	1 % (28 d) Not readily degradable.
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Endocrine disrupting properties	
Product:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Com- mission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID	
14.1 UN number or ID number:	-
14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	-
Hazard No. (ADR):	-
Tunnel restriction code:	_
14.4 Packing Group:	-
14.5 Environmental hazards:	-



14.6 Special precautions for user:	-
IMDG	
14.1 UN number or ID number: 14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es)	-
Class:	Non-dangerous goods
Label(s):	-
EmS No.:	-
14.3 Packing Group: 14.5 Environmental hazards:	-
14.6 Special precautions for user:	_
ΙΑΤΑ	
14.1 UN number or ID number:	-
14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es):	-
Class:	Non-dangerous goods
Label(s):	—
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	-

14.7 Maritime transport in bulk according to IMO instruments: Not applicable.

SECTION 15: Regulatory information

Product name: VAICO 16 090 739 80

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

WGK 1: slightly water-endangering.
No Chemical Safety Assessment has been carried out.
_

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.



Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. May cause an allergic skin reaction. H317 May cause damage to organs through prolonged or repeated expo-H373 sure. Harmful to aquatic life with long lasting effects. H412 May cause long lasting harmful effects to aquatic life. H413 Other information: The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially similar mixtures" - Expert Judgement

Revision Date: Disclaimer:	16.12.2022 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be de- duced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of pro- cessing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-